

 tp-link. 無線路由器



AC1200 無線雙頻MU-MIMO Gigabit路由器Archer C6

[AC1200詳細資料](#)

tp-link. Wireless Router



AC1200 Dual-Band MU-MIMO Gigabit Router Archer C6

[AC1200 Product Details](#)

Tenda®



[AC11詳細資料](#)

AC11

AC1200 MU-MIMO Dual Band Gigabit Router

- 產品尺寸: 220 x 141.5 x 49毫米
- 雙頻AC1200Mbps (300Mbps@2.4GHz+867Mbps@5GHz) 802.11ac
- 外置5支雙頻6dBi高增益天線, 設有High Power可將功率調節高低
- Beamforming增強技術可提高覆蓋範圍及傳輸距離
- 使用MU-MIMO制式, 對比舊有SU-MIMO技術提升三倍速度
- 無線中繼模式 (Client+AP,WISP)
- 1 Wan Port + 3 Lan Port (10/100/1000Mbps) Gigabit
- 配合 "Tenda WiFi" Apps作雲端管理

Tenda®



AC111

AC1200 MU-MIMO Dual Band Gigabit Router

- Dimensions: 220 x 141.5 x 49mm
- Dual band AC1200Mbps (300Mbps@2.4GHz + 867Mbps@5GHZ) 802.11ac
- Signal enhancement technology, external 5 x 6dBi high gain antenna, signal coverage of 120 square meters can wear three walls, and support signal strength adjustment, according to the specific use environment
- Independent signal enhancement module, Beamforming intelligent
- Ensuring full utilization of 300Mbps and above. And support dual-band integration, priority to connect fast WiFi band
- Client+AP, WISP
- 1 WAN Port + 3 LAN Ports (10/100/1000Mbps) Gigabit
- Support broadband account automatic migration technology, easily replace old routes.